
Bibleworks10torrent ^HOT^

Vidmate Apk 2020.[Communication between a palliative care service and a geriatric hospital]. The objective of this study is to analyze to what extent the health system has taken advantage of the resources provided by the palliative care service to help patients with terminal illnesses. Cross-sectional study with retrospective data collection conducted in primary care. The study period was from 1/1/1996 to 31/12/1996. Twenty-six primary care centers were studied in an area of 1519.959 inhabitants. Inpatient care for seniors with terminal illnesses was evaluated through univariate and multivariate analysis. A 100% response was obtained in the data collection and there was no loss of follow-up. There were 65 elderly patients in palliative care who received 126 activities, and they completed 82%, a figure which is very similar to that reached by the general population. These patients saw two doctors on average (adjusted OR 1.94; 95% CI 1.31-2.87), received 113 visits from nurses (OR 2.76; 95% CI 1.80-4.24), and 17 visits to the home care team (OR 4.26; 95% CI 2.45-7.41). We did not find significant differences between the activities provided to patients in palliative care and the general population. There is an adequate degree of continuity in the care provided to these patients.

```
@Test public void testPartiCreation() { PartiInfo pi = new PartiInfo(cx.sqlOperations(), cx.table()); pi.setColumnAlias("person"); pi.setColumnAlias("address"); pi.setTableName("person"); pi.addColumn("id", INTEGER); pi.addColumn("person_id", INTEGER); pi.addColumn("addr_id", INTEGER); pi.addColumn("street", VARCHAR); pi.addColumn("city", VARCHAR); pi.addColumn("country", VARCHAR);
```



